ska-tmc Documentation

Release 1.0

NCRA India

Mar 16, 2022

CONTENTS:

1	Central Node	1
2	Subarray Node Low	3
3	Dish Leaf Node	5
4	Dish Master	7
5	CSP Master Leaf Node	9
6	SDP Subarray Leaf Node	11
7	CSP Subarray Leaf Node	13
8	SDP Master Leaf Node	15
9	MCCS Master Leaf Node	17
10	MCCS Subarray Leaf Node	19
11	Indices and tables	21

ONE

CENTRAL NODE

TWO

SUBARRAY NODE LOW

THREE

DISH LEAF NODE

FOUR

DISH MASTER

FIVE

CSP MASTER LEAF NODE

Note: Simulator for CSP Master device is available. It enables CSP Master Leaf Node to be deployed to execute in standalone mode. To run CSP Master Leaf Node in standalone mode, set STANDALONE_MODE environment variable to "TRUE". The CSP Master simulator device executes inside the CSP Master Leaf Node device server. As of now the device has to be manually added in tango database

SDP SUBARRAY LEAF NODE

Note: Simulator for SDP Subarray device is available. It enables SDP Subarray Leaf Node to be deployed to execute in standalone mode. To run SDP Subarray Leaf Node in standalone mode, set STANDALONE_MODE environment variable to "TRUE". The SDP Subarray simulator device executes inside the SDP Subarray Leaf Node device server. As of now the device has to be manually added in tango database.

SEVEN

CSP SUBARRAY LEAF NODE

Note: Simulator for cspsubarray device is available. It enables cspsubarray Leaf Node to be deployed to execute in standalone mode. To run cspsubarray Leaf Node in standalone mode, set STANDALONE_MODE environment variable to "TRUE". The cspsubarray simulator device executes inside the cspsubarray Leaf Node device server. As of now the device has to be manually added in tango database.

EIGHT

SDP MASTER LEAF NODE

Note: Simulator for SDP Master device is available. It enables SDP Master Leaf Node to be deployed to execute in standalone mode. To run SDP Master Leaf Node in standalone mode, set STANDALONE_MODE environment variable to "TRUE". The SDP Master simulator device executes inside the SDP Master Leaf Node device server. As of now the device has to be manually added in tango database.

NINE

MCCS MASTER LEAF NODE

TEN

MCCS SUBARRAY LEAF NODE

ELEVEN

INDICES AND TABLES

- genindex
- modindex
- search